

# Belatacept (Nulojix)



Provider Order Form rev. 10/12/2022

## PATIENT INFORMATION

Referral Status:  New Referral  Updated Order  Order Renewal

Date: \_\_\_\_\_ Patient Name: \_\_\_\_\_ DOB: \_\_\_\_\_  
ICD-10 code (required): \_\_\_\_\_ ICD-10 description: \_\_\_\_\_  
 NKDA Allergies: \_\_\_\_\_ Weight (lbs/kg): \_\_\_\_\_ Height: \_\_\_\_\_  
Patient Status:  New to Therapy  Continuing Therapy Last Treatment Date: \_\_\_\_\_ Next Due Date: \_\_\_\_\_

## PROVIDER INFORMATION

Referral Coordinator Name: \_\_\_\_\_ Referral Coordinator Email: \_\_\_\_\_  
Ordering Provider: \_\_\_\_\_ Provider NPI: \_\_\_\_\_  
Referring Practice Name: \_\_\_\_\_ Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
Practice Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_

## NURSING

- TB status & date (list results here & attach clinicals)  
\_\_\_\_\_
- Provide nursing care per IVX Nursing Procedures, including reaction management and post-procedure observation  
**NOTE:** IVX Adverse Reaction Management Protocol available for review at [www.ivxhealth.com/forms](http://www.ivxhealth.com/forms) (version 09.07.2021)

## PRE-MEDICATION ORDERS

- acetaminophen (Tylenol)  500mg /  650mg /  1000mg PO
- cetirizine (Zyrtec) 10mg PO
- loratadine (Claritin) 10mg PO
- diphenhydramine (Benadryl)  25mg /  50mg  PO /  IV
- methylprednisolone (Solu-Medrol)  40mg /  125mg IV
- hydrocortisone (Solu-Cortef)  100mg IV
- Other: \_\_\_\_\_  
Dose: \_\_\_\_\_ Route: \_\_\_\_\_  
Frequency: \_\_\_\_\_

## SPECIAL INSTRUCTIONS

## LABORATORY ORDERS

- CBC  at each dose  every \_\_\_\_\_
- CMP  at each dose  every \_\_\_\_\_
- CRP  at each dose  every \_\_\_\_\_
- Other: \_\_\_\_\_

## THERAPY ADMINISTRATION

- Belatacept (Nulojix)** in 0.9% sodium chloride, intravenous infusion, administer with 0.2-1.2 micron filter
  - 10mg/kg Day 1, Day 5, end of week 2, 4, 8 and 12 (Please indicate if patient has received any previous infusions)
  - 5mg/kg end of week 16 and every 4 weeks thereafter
  - Prescribed doses must be evenly divisible by 12.5mg
  - Final concentration should range from 2mg/ml to 10mg/ml
  - Administer over 30 minutes
  - Flush with 0.9% sodium chloride at infusion completion
- Patient is required to stay for 30-minute observation
- Refills:  Zero /  for 12 months /  \_\_\_\_\_  
(if not indicated order will expire one year from date signed)

\*NULOJIX is contraindicated in transplant recipients who are Epstein-Barr virus (EBV) seronegative or with unknown EBV serostatus due to the risk of post-transplant lymphoproliferative disorder (PTLD), predominantly involving the central nervous system (CNS).

Provider Name (Print)

Provider Signature

Date

### FAX NUMBERS

- |   |   |   |   |   |
|---|---|---|---|---|
| <input type="checkbox"/> BAY AREA: 844-889-0275   | <input type="checkbox"/> CONNECTICUT: 860-955-1532    | <input type="checkbox"/> HARRISBURG: 844-859-4235   | <input type="checkbox"/> PALM BEACH: 561-768-9044   | <input type="checkbox"/> TAMPA: 844-946-0849      |
| <input type="checkbox"/> CHARLOTTE: 336-663-0143  | <input type="checkbox"/> CHICAGO: 312-253-7244        | <input type="checkbox"/> INDIANAPOLIS: 844-983-2028 | <input type="checkbox"/> PHILADELPHIA: 844-820-9641 | <input type="checkbox"/> WEST TN/AR: 888-615-1445 |
| <input type="checkbox"/> CINCINNATI: 844-946-0868 | <input type="checkbox"/> COLUMBUS: 844-627-2675       | <input type="checkbox"/> JACKSONVILLE: 904-212-2338 | <input type="checkbox"/> RALEIGH: 919-287-2551      | <input type="checkbox"/> MIDDLE TN: 888-615-1445  |
|   | <input type="checkbox"/> DAYTONA: 386-259-6096        | <input type="checkbox"/> KANSAS CITY: 844-900-1292  | <input type="checkbox"/> SARASOTA: 941-870-6550     | <input type="checkbox"/> EAST TN: 615-425-7427    |
|   | <input type="checkbox"/> FT. LAUDERDALE: 754-946-2052 | <input type="checkbox"/> ORLANDO: 844-946-0867      | <input type="checkbox"/> SOUTHWEST FL: 813-283-9144 |   |